





























Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	• Combinator dial and plate	1 58010 00 0	0,200	0	1	07095	00	0	
	• Set of 3 knobs and combinator changing key	1 58011 00 0	0,150	1	1	07108	00	0	
	• Lock operating knob	1 57424 30 1, 1 57429 30 1	0,160	1	1	07109	00	0	
	• Changing key for safes with combinator	1 58010 00 0, 82310, 82350, 82510, 82550	0,020	1	1	07109	01	0	
	• Changing key set for safes with 3-knob combinator	1 58011 00 0, 82210, 82250, 82410, 82450	0,040	0	1	07109	03	0	
	• 9V battery holder	82610, 82650	0,030	1	1	07114	00	0	
	• Electronic board		0,035	1	1	07114	04	0	
	• Electronic board master code		0,035	1	1	07114	12	0	
	• Electronic board for Digit Vision safe		0,035	1	1	07114	15	0	
	• 6V battery holder	82610, 82650	0,030	1	1	07114	05	0	
	• Key pad	82610, 82650	0,005	1	1	07114	08	0	

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	• Kit to convert from 9V to 6V	82610, 82650	0,370	1	1	07114	10	0	
	• Kit to convert from 9V to 6V Master Code		0,370	1	1	07114	11	0	
	• Key pad for Digit Vision safe		0,005	1	1	07114	16	0	
	• Kit to convert from safes Digit to safes Digit Vision		0,370	1	1	07114	17	0	
	• Lacquered steel support for furniture safes	1 82050 74 0, 1 82250 74 0, 1 82350 74 0, 1 82450 74 0, 1 82550 74 0, 1 82650 74 0	16,650	1	1	07125	00	0	
	• Lacquered steel support for furniture safes	1 82050 85 0, 1 82050 95 0, 1 82250 85 0, 1 82250 95 0, 1 82350 85 0, 1 82350 95 0, 1 82450 85 0, 1 82450 95 0, 1 82550 85 0, 1 82550 95 0	17,950	1	1	07125	01	0	
	• Box for digit cash safes		1,000	1	1	07125	05	0	

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> • Energy power supply (battery not included) 	82610, 82650, 83610	0,060	1	1	07430	30	0	
	<ul style="list-style-type: none"> • 6V external power supply cable 	82610, 82650	0,030	1	1	07430	31	0	
	<ul style="list-style-type: none"> • Energy power supply 	82610, 82650	0,030	1	1	07430	32	0	
	<ul style="list-style-type: none"> • Zinc plated steel lock • One locking point • Two keys item 1.00101.00.2 • FOR KEY-OPERATED SAFES: item 1.82010.10.0 item 1.82010.11.0 		0,426	1	1	57409	30	1	
	<ul style="list-style-type: none"> • Zinc plated steel lock • One locking point • Two keys item 1.00101.00.2 • FOR SAFES OPERATED EITHER BY KEY ONLY OR KEY AND MECHANICAL COMBINATOR: Series 82010.20÷32 Series 82050.34 Series 82210.20÷32 Series 82250.34 Series 82310.30÷32 Series 82350.34 		0,460	1	1	57411	30	1	
	<ul style="list-style-type: none"> • Zinc plated steel lock • One locking point • Two keys item 1.00101.00.2 • FOR 1 STAR SAFES OPERATED BY KEY ONLY: Series 8A010.20÷41 		0,460	1	1	57411	31	1	

Type	Description	For series/item	Kg Unit weight	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> • Zinc plated steel lock • Three locking points • Two keys item 1.00101.00.2 • FOR SAFES OPERATED EITHER BY KEY ONLY OR KEY AND MECHANICAL COMBINATOR: Series 82010.40÷92 Series 82050.43÷95 Series 82210.40÷92 Series 82250.43÷95 Series 82310.40÷92 Series 82350.43÷95 Series 83010.40 		0,620	1	1	57416	30	1	
	<ul style="list-style-type: none"> • Zinc plated steel lock • Three locking points • Two keys item 1.00101.00.2 • FOR 1 STAR SAFES OPERATED BY KEY ONLY: Series 82010.40÷92 Series 82050.43÷95 Series 82210.40÷92 Series 82250.43÷95 Series 82310.40÷92 Series 82350.43÷95 Series 83010.40 		0,620	1	1	57416	31	1	
	<ul style="list-style-type: none"> • Zinc plated single throw steel lock • Three locking points • FOR SAFES OPERATED EITHER BY MECHANICAL OR ELECTRONICAL COMBINATOR: Series 82410.40÷92 Series 82450.43÷95 Series 82510.40÷92 Series 82550.43÷95 Series 82610.40÷72 Series 82650.43÷74 Series 83610.40 		0,500	1	1	57424	30	1	
	<ul style="list-style-type: none"> • Zinc plated single throw steel lock • One locking point • OR SAFES OPERATED EITHER BY MECHANICAL OR ELECTRONICAL COMBINATOR: Series 82410.20÷32 Series 82450.34 Series 82510.30÷32 Series 82550.34 Series 82610.30÷32 Series 82650.34 		0,400	1	1	57429	30	1	

Type	Description	For series/item	 Unit weight Kg	 Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> Combinator dial 	82310, 82315, 82350, 82510, 82515, 82550	0,400	1	1	58010	00	0	
	<ul style="list-style-type: none"> 3-knob combinator 	82210, 82250, 82410, 82450	0,430	1	1	58011	00	0	