

CISA Prestige



MAIN FEATURES

ACCURATE DESIGN AND AESTHETICS

- A modern and simple design, result of accurate research work, makes "CISA PRESTIGE" suitable for any environment.

EASY TO INSTALL

- Special design features make "CISA PRESTIGE" easy and quick to install on wooden, steel or aluminium doors.
- "CISA PRESTIGE" is suitable for replacing the existing CISA "No Problem" and 59300 series.

RELIABILITY

- "CISA PRESTIGE" is a top product in terms of reliability, quality of materials and accurate operation mechanisms.
- "CISA PRESTIGE" guarantees high performance levels and a much longer life than provided for in the relevant standard (200,000 max cycles).

MODULARITY

- "CISA PRESTIGE INOX" can be used together with upper/lower or lateral additional locking devices, for single or double leaf doors, rebated doors and swinging doors, and with outside operation units.

CERTIFICATION AND **CE** MARKING

- The materials and technical solutions adopted allow the highest standards to be respected, leading CISA to obtain markings and certifications such as:
 - CE marking according to EEC DIRECTIVE 89/106 released by AENOR for use on standard and fire rated doors.
 - Voluntary product certification released by third party ICIM as provided for by UNI EN 1125 Standards.

Technical features

- Black painted steel casing.
- Adjustable stainless steel bar AISI 304 (to be ordered separately).
- Latchbolts and deadbolts in chromium-plated aluminium alloy.
- Self-locking side and upper/lower latchbolts

Operation

- From inside: by pushing the bar.
- From outside: with key and/or handle

Finishes

- Standard:
 - BLACK casing, Stainless steel bar

- On request
 - RED casing, (fin. 41)
 - YELLOW casing, (fin. 42)
 - GREEN casing, (fin. 43)
 - WHITE casing, (fin. 45)
 - GREY casing, (fin. 97)
- Available bar colour finishes
 - YELLOW (fin. 42)
 - GREEN (fin. 43)
 - BLACK (fin. 44)
 - WHITE (fin. 45)
 - GREY (fin. 97)

Hand

0 = Non-handed




Supplied as standard






- Strikers
- Fixing screws
- Installation and maintenance instruction sheet
- ICIM and CE Certificates

On request

- Outside operation units
- Additional locking points
- Version with microswitch (spec. LA)
- Version with hold open device (spec. FG)
- Fire version with steel latchbolts (spec. FR)



Type	Description	Kg	Pieces	ITEM				
				Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> • Self-locking lateral latchbolt • SUPPLIED AS STANDARD <ul style="list-style-type: none"> - Strikers item. 1.07072.20.0 and 1.07072.21.0 • ON REQUEST: <ul style="list-style-type: none"> - Outside operation devices item 1.07077.46/47/48/49.0 	2,500	1	1	59301	10	0	
	<ul style="list-style-type: none"> • MODULAR VERSION • Self-locking latchbolt which can be deactivated • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Strikers item 1.07072.20.0 e 1.07072.21.0 • Can be used with: <ul style="list-style-type: none"> - Pair of top/bottom latchbolts item 1.07063.30.0 - Pair of lateral latchbolts item 1.07063.20.0 - Pair of top/lateral latchbolts item 1.07063.35.1/2 - Pair of top/bottom deadbolts item 1.07063.40.0 • ON REQUEST: <ul style="list-style-type: none"> - Outside operation devices item 1.07077.46/47/48.0 	2,500	1	1	59311	10	0	
	<ul style="list-style-type: none"> • MODULAR VERSION • Must be used with: <ul style="list-style-type: none"> - Pair of top/bottom latchbolts item 1.07063.30.0 - Pair of lateral latchbolts item 1.07063.20.0 - Pair of top/lateral latchbolts item 1.07063.35.1/2 - Pair of top/bottom deadbolts item 1.07063.40.0 • ON REQUEST: <ul style="list-style-type: none"> - Outside operation device item 1.07077.46/47/48.0 	2,500	1	1	59316	10	0	
	<ul style="list-style-type: none"> • Stainless steel oval shaped bar 	L = 900	0,800	1	1	07007	60	0
		L = 1200	1,100	1	1	07007	61	0
		L = 1500	1,450	1	1	07007	62	0
	<ul style="list-style-type: none"> • Red painted steel oval shaped bar • Available finishes <ul style="list-style-type: none"> - yellow painted (fin. 42) - green painted (fin. 43) - black painted (fin. 44) - white painted (fin. 45) - grey painted (fin. 97) 	L = 900	0,800	1	1	07007	13	0
		L = 1200	0,800	1	1	07007	14	0
		L = 1500	0,900	1	1	07007	15	0

Type	Description	For Item	Kg		Pieces		ITEM							
			Unit weight				Type	Dim.	Hand	Fin.	Pers. Spec.			
	<ul style="list-style-type: none"> • Pair of latchbolts for lateral locking points • SUPPLIED AS STANDARD - Strikers item 1.07072.20.0 and 1.07072.21.0 	59311, 59316	1,000		1		1	07063	20	0				
	<ul style="list-style-type: none"> • Pair of dead-locking latchbolts for top/bottom locking points • SUPPLIED AS STANDARD - Upper striker item 1.07072.20.0 and 1.07072.21.0 - Floor striker item 1.07072.28.0 	59311, 59316	1,000		1		1	07063	30	0				
	<ul style="list-style-type: none"> • Pair of latchbolts for upper ded-locking and bottom lateral locking points • SUPPLIED AS STANDARD - Strikers item 1.07072.20.0 and 1.07072.21.0 	59311, 59316	1,000		1		1	07063	35	1				
			1,000		1		1	07063	35	2				
	<ul style="list-style-type: none"> • Pair of latchbolts for top/bottom locking points for swinging doors • SUPPLIED AS STANDARD - Upper striker item 1.07272.25.0 and 1.07072.26.0 - Floor striker item 1.07072.25.0 	59311, 59316,	1,000		1		1	07063	40	0				
	<ul style="list-style-type: none"> • Additional lateral latchbolt • SUPPLIED AS STANDARD - Strikers item 1.07072.20.0 and 1.07072.21.0 	59311, 59316	0,300		1		1	07063	15	1				
			0,300		1		1	07063	15	2				
	<ul style="list-style-type: none"> • Steel extended bolts • Black painted casing • To be used with latchbolts item 1.07063.200/30/35/40 	59311, 59316	1,130		1		1	07081	06	0				
	<ul style="list-style-type: none"> • Top steel extended bolt set • Black painted casing 	07063	0,500		1		1	07064	60	0				

OUTSIDE OPERATION UNITS FOR CISA PRESTIGE PANIC DEVICES





Type	Description	For Item	Unit weight Pieces	ITEM			
				Type	Dim.	Hand	Fin.
	<ul style="list-style-type: none"> • Black painted plate with handle, reduced projection • Cylinder item 1.0G304.02.0 • Handle deactivated by key AVAILABLE FINISHES: <ul style="list-style-type: none"> - red painted (fin. 41) - yellow painted (fin. 42) - green painted (fin. 43) - white painted (fin. 45) - grey painted (fin. 97) 	59301, 59311, 59316	0,300 1	1	07077	46 0	
	<ul style="list-style-type: none"> • Black painted plate with handle AVAILABLE FINISHES: <ul style="list-style-type: none"> - red painted (fin. 41) - yellow painted (fin. 42) - green painted (fin. 43) - white painted (fin. 45) - grey painted (fin. 97) 	59301, 59311, 59316	0,300 1	1	07077	47 0	
	<ul style="list-style-type: none"> • Black painted plate with handle • Cylinder item 1.0G304.02.0.12 • Handle deactivated by key AVAILABLE FINISHES: <ul style="list-style-type: none"> - red painted (fin. 41) - yellow painted (fin. 42) - green painted (fin. 43) - white painted (fin. 45) - grey painted (fin. 97) 	59301, 59311, 59316	0,300 1	1	07077	48 0	
	<ul style="list-style-type: none"> • Black painted plate • Cylinder item 1.0G304.02.0 AVAILABLE FINISHES: <ul style="list-style-type: none"> - red painted (fin. 41) - yellow painted (fin. 42) - green painted (fin. 43) - white painted (fin. 45) - grey painted (fin. 97) 	59301	0,300 1	1	07077	49 0	

On request:


- Outside operation units with microswitch (car. LA)

ACCESSORIES FOR CISA PRESTIGE PANIC DEVICES


	<ul style="list-style-type: none"> • Microswitch to be used with panic exit devices CISA PRESTIGE series 		0,050 1	1	06195	07 0	
	<ul style="list-style-type: none"> • Hold open device for panic exit devices CISA PRESTIGE series 		0,100 1	1	07065	52 0	




1.07077.46



1.07077.47



1.07077.48



1.07077.49

